Connected Partner Program

OnSight IQ

Real-Time Presence Visualization

ENCODE LABS

Features That Make a Difference:

- Live presence per area, virtual area and personnel type
- Evacuation support: who is still inside and who has reached the muster point
- Personnel detail with portrait, credentials and 24-hour activity
- Compact views and public pages for wall displays
- ERT View: emergency response team members on site
- Statistics: footfall by day, month and year, with Excel reports
- Card rejects: rejection streaks across three or more doors
- Analysis: door and controller fault analysis
- Every module included in every license

OnSight IQ Web Display Option

for C•CURE 9000

OnSight IQ shows who is on site, and where, in real time, in any browser and on wall displays. It reads the C•CURE 9000 database and never changes it.

Reception, EHS and fire wardens see who is inside, where, and who is still unaccounted for, without learning the C•CURE client.

Runs on premises as a Windows service, on the C•CURE server or a dedicated server. Users sign in with their Windows account over HTTPS.

System Requirements	
Supported Server OS	**Supported Version**
Windows Server 2025 Standard & Enterprise	64-bit
Windows Server 2022 Standard & Enterprise	64-bit
Windows Server 2019 Standard & Enterprise	64-bit
Windows Server 2016 Standard & Enterprise	64-bit
Supported OS	
Windows 11 Professional & Enterprise	64-bit
Windows 10 Professional & Enterprise	64-bit
Software	**Supported Version**
Microsoft .NET runtime*1	10, x64
Microsoft SQL Server*2	2016 or later
Web browser*3	Chrome, Edge, Firefox

(1) ASP.NET Core Runtime 10 (Hosting Bundle) and Windows Desktop Runtime 10


(2) Statistics module only; SQL Server 2025 Express is recommended

(3) Sign-in uses Windows authentication and is not available on iOS and Safari

C•CURE 9000 Requirements

- Version 2.80 up to v3.20
- An enabled C•CURE operator account for each user

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks. Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.



Presence

Live presence per area, virtual area and personnel type, taken from the person's record in C•CURE and refreshed every 10 seconds. The screen reception uses on a quiet day is the one fire wardens use in an evacuation: there is no emergency mode to learn under pressure.


- Evacuation support: who is still inside, and who has reached the muster point
- Virtual areas add up the areas tagged alike, such as every floor of one building
- Portraits on every card, switched on or off with one click, in standard or HD
- Compact views and public pages for wall displays, with ERT members marked
- Search by name and by up to three more personnel fields chosen by the site
- Every presence list downloads as an Excel table

Personnel detail

When the headcount says someone is unaccounted for, the personnel detail shows where to look first:

- Every badge event of the last 24 hours, with time, message type and door
- Credentials with card number, expiry and status
- The properties the site keeps in C•CURE, such as company, contract and mobile number
- The portrait C•CURE already holds: no second photo system to maintain

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks.
Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.



ERT View

ERT View shows the members of every emergency role who are on site right now, such as EHS managers, emergency responders and first aiders, each with a portrait, a mobile number and the area they were last seen in.


- Roles come from the personnel record in C•CURE: no second list to maintain
- The site presence count beside the teams
- For operators at a workstation, and as a public display at reception or on the production floor

Where it is used

OnSight IQ is the page people open when something has to be true right now:

- Evacuation and mustering: who was on site, who is still inside, who has reached the muster point
- Fire drills and spot checks: presence moving through the building as the drill happens
- Reception and contractors: who is still in the building at the end of the day
- Restricted areas: a named, live list of who is inside the lab, the server room or the store
- Multi-building sites: virtual areas that match buildings, floors or zones

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks.
Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.



Statistics module

A service of its own copies the C•CURE badge activity, admits and rejects, into an OnSight IQ database and keeps the hourly, daily and monthly figures exact when late events arrive. Its pages:

- Footfall: today's and the period's visitors against the previous period, the traffic trend by day, month or year, visitors by partition, and the hourly pattern of a chosen day
- Health: the state of the Statistics service, its lag behind the journal and its coverage


Card rejects

Rejection streaks: one person's rejections at three or more different doors with no admit between them. Each streak opens to every rejection in the order it happened, with door, reason, card and direction, shows when a later admit cleared it, and exports to Excel. Filter by period, partition and company.

Excel reports

Day and period reports by partition or area, optionally for selected companies, as an Excel workbook with a table and a chart per report. Every presence list also downloads as an Excel table.

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks. Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.



Analysis module

Four analyses of the C•CURE journal for a period of up to a year, each listing first the doors and controllers that need a look:

- Unused Doors: doors whose card admits were all reported unused, which points at a faulty door contact
- Door Status: forced, held, unused, rejected and misread counts per door
- Door Bounces: doors that close and spring open again within the same second
- Comm Fails: controller communication failures, their downtime, and failures that recur at the same time of day

Doors are judged on their door contact: a door without one in C•CURE cannot report unused, forced or held.

Deployment

OnSight IQ runs on the site's own network:

- On premises, as a Windows service on the C•CURE server or a dedicated server
- Reads the C•CURE 9000 database and never changes it; the Statistics module keeps its own SQL Server database
- Windows authentication over HTTPS, with the site's own certificate from the Windows certificate store
- No cloud service and no outbound connections
- Light, Dark and Ocean themes

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks.
Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.

Éabha O'Shea

Personnel Properties

Field	Value
Company	Bandon Steel Fabrication Ltd
Contract	Active
Mobile Nr	+353 83 470 5799
Global ID	00073115



Ordering information

The following items are required for an OnSight IQ installation:

- The OnSight IQ Web Display Option matching the C•CURE 9000 server series (CC9-ONIQ-SM, -MD or -LG)
- An active OnSight IQ SSA (CC9-ONIQ-SM-S, -MD-S or -LG-S), renewed yearly
- Presence, ERT View, Statistics with card rejects, and Analysis: every module is included in every license, nothing to order separately

Once the order is processed, you will receive the activation codes for your Encode Labs license by e-mail; redeem them on the licensing portal as described below.

Part Number	Description
CC9-ONIQ-SM	C•CURE 9000 OnSight IQ Web Display Option for C•CURE 9000 Server Series L, M, N. Requires 1x CC9-ONIQ-SM-S.
CC9-ONIQ-MD	C•CURE 9000 OnSight IQ Web Display Option for C•CURE 9000 Server Series P, Q, R or MAS 1, 2 & 3. Requires 1x CC9-ONIQ-MD-S.
CC9-ONIQ-LG	C•CURE 9000 OnSight IQ Web Display Option for C•CURE 9000 Server Series R Plus, S, S Plus, T or MAS 4, 5 & 6. Requires 1x CC9-ONIQ-LG-S.
CC9-ONIQ-SM-S **CC9-ONIQ-MD-S** **CC9-ONIQ-LG-S**	1 Year of SSA for the C•CURE 9000 OnSight IQ Web Display Option of the matching server series. Must be renewed on a yearly basis.

Redeeming your activation codes

Your Encode Labs activation codes arrive by e-mail. Sign in on the Encode Labs licensing portal at the address below (or register there with your first code), choose Redeem an activation code, and enter the code with the C•CURE 9000 serial number and version to download the license file:

https://portal.encodelabs.be/

More information

For more information on OnSight IQ, please visit us on https://www.onsight-iq.com/

© 2026 Johnson Controls. All Rights Reserved.
Johnson Controls and the product names listed above are marks and/or registered marks.
Unauthorized use is strictly prohibited. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.